


PRZEKŁADNIA: NMRV-P-075-80B14

WIDOK 3D



DANE TECHNICZNE

GR Size	075
RAP Ratio	20; 25; 30; 40; 50; 60; 80; 100;
PAM Input PAM flange	80 B14 (120x19)
ACU Output hole shaft (d)	Ø28
VB Double input shaft	No
TFU Output flange	No
DFU Output flange dimension (d)	-
PFU Output flange position	-
AL Output shaft	No
PAL Output shaft position	-
BR Torque arm	No
PBR Torque arm position	-
CAP Cover	No
TIP Motor type	No
GRA Motor size	-
RAF Cooling	-
FC Motor execution	-
TF Break type	-
AF Brake power supply	-
COP Terminal box cover	-
CVE Fan cover	-
MOR Terminal box cover position	-
A	120
AC	-
B	-
BB	8
BM	6
BM1	-
B1	-
D	28
DM	19


DANE TECHNICZNE

DM1	-
D1 j6	-
E	-
F	M8
FF	-
G	126.5
G1	120
G3	90
H	86
H1	89
I	75
K	90-95
KE	M8*14(8)
L	112
LB	-
LL	-
M	115
N	95
N1	57
O	11
P	131
PM	120
PM1	-
Q	93
R	123
S	10
S1	13
T	40
TM	21.8
TM1	-
TT	31.3

DANE TECHNICZNE

T1	-
V	60
W	45°

WIDOK 2D



AKCESORIA

