

www.motovario.eu

tel. +48 (048) 383-01-44 e-mail: info@motovario.eu

PDF DATASHEET

PRZEKŁADNIA: SW-110-80B5

WIDOK 3D



DANE TECHNICZNE

GR Size	110
RAP Ratio	80
PAM Input PAM flange	80 B5
ACU Output hole shaft (d)	42
VB Double input shaft	NO
TFU Output flange	T
DFU Output flange dimension (d)	-
PFU Output flange position	-
AL Output hole shaft (d)	No
PAL Output shaft position	-
BR Torque arm	No
PBR Pos. torque arm	-
CAP Cover	No
TIP Motor/Inverter Motor	No
GRA Motor size	-
ALI Supply	-
GIRI Speed Range	-
POTE Power Group	-
CTRL Manual Adjustment Control	-
MODU Expansion modules	-
RAF Cooling	-
FC Motor execution	-
TF Break type	-
AF Brake power supply	-
COP Terminal box cover	-
CVE Fan cover	-
MOR Pos. terminal box	-
A	170
AC	-
A1	-
B	60


DANE TECHNICZNE

BB	12
BM	6
BM1	-
B1	8
C	-
D	42
D1	28
DM	19
DM1	-
E	-
EA	-
EB	-
EC	-
F	-
FF	M10
F1	-
GG	160
G1	-
G3	135
H	127.5
H1	-
H2	-
I	110
K	115
KE	M10x18
K0	-
K1	-
L	144
L1	-
LB	-
LL	-

DANE TECHNICZNE

M	165
N	130
N1	74
O	14
P	200
PM	200
PM1	-
Q	125
R	167.5
R1	-
S	14.5
S1	-
T	50
TM	21.8
TM1	-
TT	45.3
TT1	31
V	85
W	45°

WIDOK 2D



DANE TECHNICZNE

